

**Hopewell Township Fire District No.1**  
**Hopewell Valley Fire Districts Cooperative Pricing System - 209HVFDCCPS**  
*Ground Ladder and Aerial Device Testing Price List*

<b>FireOne, Inc</b>	
<b>Annual Ground Ladder and Aerial Device Testing</b>	
Annual Ground Ladder Testing	Price Per Foot
in accordance with attached receipt of quote	\$1.60
Aerial Device Testing	Price Per Unit
in accordance with attached receipt of quote	\$625.00
Vendor has agreed to extend pricing to members of Hopewell Valley Fire District's Cooperative Pricing System	

Ordering Information

FireOne, Inc.

Address   Box 1040  
                  Drexel Hill, PA 19026

Phone Number   610-789-2188

Email Address   [jimglatts@fire-one.com](mailto:jimglatts@fire-one.com)

Completion Date   21 days from receipt of order



May 16, 2013

Matthew G. Martin, Chief of Emergency Services  
Hopewell Township Fire District No. 1  
201 Washington Crossing-Pennington Road  
Titusville, NJ 08560-1410

Subject: Quote for Ground Ladder and Aerial Device Testing

Dear Chief:

Thank you for your email regarding ground ladder and aerial device testing for the Hopewell Township Fire District No. 1. This letter confirms our 2013 price quote to you and to the members of the Hopewell Valley Fire District's Cooperative Pricing System.

FireOne is in the business of testing fire department apparatus pumps, fire hose, aerial devices and ground ladders. Our technicians do all of the work right at your fire stations with our own equipment including a mobile pump testing system. FireOne is an independent testing agency and meets the requirements of ISO/IEC 17020, *General criteria for the operation of various types of bodies performing inspection*. NFPA Standards are followed for all work.

For 2013, ground ladders are tested for \$1.60 per foot and includes cleaning, inspecting and testing per the manufacturer's instructions and NFPA 1932, *Standard on Use, Maintenance, and Service Testing of In-Service Fire Department Ground Ladders*, 2010 Edition. Our price includes new heat sensor and safety labels installed on all ladders that pass and that need new labels.

For ladder repairs, replacement of broken rivets are part of our testing price. Halyards can be replaced as needed for \$25 per halyard. Rungs on Alco-Lite ladders can be replaced for \$50 per rung. We cannot replace Duo-Safety rungs as they have to be heli-arc welded.

Aerial devices are tested for \$625 per device, including non-destructive testing, and hydraulic oil analysis. Aerial device testing follows NFPA Standard 1911, *Standard for the Inspection, Maintenance, Testing, and Retirement of In-Service Automotive Fire Apparatus*, 2012 Edition, Chapter 19. Detailed reports are prepared with the results of all testing. All work is completed by an EVT certified, factory trained mechanical engineer.

610-789-2188

[www.Fire-One.com](http://www.Fire-One.com)

P.O. Box 1040  
Drexel Hill, PA 19026

Matthew G. Martin, Chief of Emergency Services  
Hopewell Township Fire District No. 1  
May 16, 2013  
Page 2

Completion of these important annual tests shows that all apparatus and equipment is in good working order. Your fire department members, your community, the ISO and NFPA 1500 will all benefit from successful completion of this important work.

Again, thank you for your email and we look forward to again coming to Hopewell Township. Please feel free to call if there are any questions or if you would like to discuss this further.

Very truly yours,

*Jim Glatts*

'Our 22nd Year'

HOPEWELL TOWNSHIP FIRE DISTRICT NO. 1  
BOARD OF FIRE COMMISSIONERS  
MERCER COUNTY, NEW JERSEY

**ANNUAL LADDER TESTING  
QUOTE SUBMITTAL SHEET**

Estimate  
162 feet

**ANNUAL GROUND LADDER TESTING**  
(according to NFPA 1932 standards  
and test documentation), per  
specifications

UNIT PRICE X QTY = EXTENDED PRICE  
PRICE IN NUMBERS  
\$ 1.60 PER FOOT X 162 feet =

\$ 264-

PRICE IN WORDS

One dollar and Sixty CENTS PER FOOT X ONE HUNDRED SIXTY TWO FEET=  
Two Hundred Sixty Four 00/100 DOLLARS

**AERIAL DEVICE TESTING**  
(according to NFPA 1911 standards  
and test documentation), per  
specifications

PRICE IN NUMBERS  
\$ 625- PER UNIT X 1 UNIT= \$ 625-

PRICE IN WORDS

Six Hundred Twenty Five PER APPARATUS X ONE UNIT= Six Hundred Twenty Five DOLLARS

Quantity is estimate only. Hopewell Township Fire District reserves the right to increase or decrease the quantity as demands dictate. Prices will remain valid for one year from contract award date.

State the number of calendar days to complete testing after receipt of order: 21

Will you extend pricing to the members of the Hopewell Valley Fire District's Cooperative Pricing System? Circle one:  YES  NO



HOPEWELL TOWNSHIP FIRE DISTRICT NO. 1  
BOARD OF FIRE COMMISSIONERS  
MERCER COUNTY, NEW JERSEY

**REQUEST FOR QUOTATION FOR ANNUAL GROUND LADDER AND AERIAL DEVICE TESTING**

Date of Issue: Thursday, May 2, 2013

Date Proposal is due: May 23, 2013 9:00 AM

Final Selection to be made no later than: Thursday, May 30, 2013

1. HOPEWELL VALLEY FIRE DISTRICT'S COOPERATIVE PRICING SYSTEM

It is the intent of the Hopewell Township Fire District No. 1, as Lead Agency, to receive quotes for consideration by the Hopewell Valley Fire District's Cooperative Pricing System (Identifier: 20H9VFDCPS) for services of a qualified contractor for annual **ground ladder inspection/testing** per NFPA 1932 and **aerial device testing** per NFPA 1911 for the participating members of the Cooperative Pricing System, (Hopewell Township Fire District No. 1, Pennington Borough Fire District No. 1, and Hopewell Borough Fire District No. 1), hereinafter referred to as the CPS. Each vendor must indicate on the form if they desire to extend the pricing to the members of the Hopewell Valley Fire District's Cooperative Pricing System. Questions may be directed to Chief Matthew Martin at 609-537-0287 or [mmartin@hopewelltwfire.org](mailto:mmartin@hopewelltwfire.org).

2. METHOD OF SUBMITTING QUOTES.

Hopewell Township Fire District No. 1 will not assume responsibility for quotes not received by May 23, 2013 at 9:00am. Quotes may be sent by US mail, electronic mail (to [mmartin@hopewelltwfire.org](mailto:mmartin@hopewelltwfire.org)) or by hand delivery. Vendor shall confirm receipt.

3. PROPOSAL FORM

Each proposal must be submitted on the proposal form. An authorized officer, with the firm name and address included, must sign all quote proposals in ink. The vendor must indicate on the proposal if pricing will be extended to the members of the CPS. Any proposals which are incomplete, conditional, or obscure, or which contain conditions, not-called-for erasures, alterations or irregularities of any kind shall be rejected at the option of the Lead Agency. Once submitted, no quotation shall be withdrawn or modified for any reason whatsoever.

4. METHOD OF AWARDING CONTRACT

As the lead agency, Hopewell Township Fire District No. 1 shall award the cooperative contract establishing the contractual obligation regarding the specifications attached. Hopewell Township Fire District No. 1 and each member of the CPS shall place orders independently and the Hopewell Township Fire District No. 1 shall not be held responsible for any order or invoices other than that of the Hopewell Township Fire District No. 1. Only the quotation for the Lead Agency, Hopewell Township Fire District No. 1, will be considered in determining award of the

HOPEWELL TOWNSHIP FIRE DISTRICT NO. 1  
BOARD OF FIRE COMMISSIONERS  
MERCER COUNTY, NEW JERSEY

contract. A Cooperative Contract shall be awarded to the lowest, responsible, responsive vendor (40A:11-6.1). Each member of the CPS has the option to purchase from the contract so designated by the Lead Agency.

5. CONTRACT PAYMENT

Payment will be made upon satisfactory completion of the terms of the contract and the purchase order being submitted by the contractor in accordance with the requirements and customer procedures of the Hopewell Township Fire District No. 1 and the respective participating members of the CPS. No members of the CPS shall be responsible for interest on any payment delayed for any reason. Payment terms are net 30.

6. QUANTITY

Quantities shown are estimated and the Hopewell Township Fire District No. 1 cannot guarantee quantity. Quantities indicated on the proposal sheet are estimates only and the Lead Agency and participating members of the CPS may or may not have actual need for those quantities. Hopewell Township Fire District No. 1 and the participating members of the CPS reserve the right to award the contract based on decreased quantities.

7. PRICES QUOTED

Prices will be utilized for 2013 Ground Ladder and Aerial Device Testing only. Hopewell Township Fire District No. 1 and participating members of the CPS are exempt from any State sales tax or Federal excise tax. All prices are to be net, including any charges for packing, unpacking, transportation, etc. The quote given for testing each foot of ladder shall be printed in ink or typed, in both words and figures, together with the total extended price. In case of errors or discrepancies between the price written in words and that given in figures, the price written in words shall govern in the computation of the quote. In the case of any error in extension, the unit price shall be considered as the quote. Failure to comply with the provisions of this section may be deemed sufficient ground for rejection of the quote.

8. INSURANCE

The District will require the successful vendor to provide evidence that he/she has adequate insurance coverage: worker's compensation, public liability, automobile liability, and property damage insurance, and where required, certificates of insurance verifying the same.

9. SAVE HARMLESS CLAUSE

The vendor, if awarded the contract, agrees to protect, defend and save harmless Hopewell Township Fire District No. 1 and its CPS members against any damage for payment for the use of any patented material process, article, or device that may enter into the manufacture, construction, or form a part of the work covered by either order or contract, and he/she further agrees to indemnify and save harmless Hopewell Township Fire District No. 1, Pennington

HOPEWELL TOWNSHIP FIRE DISTRICT NO. 1  
BOARD OF FIRE COMMISSIONERS  
MERCER COUNTY, NEW JERSEY

Borough Fire District No. 1, and Hopewell Borough Fire District No. 1 from suits or actions of every nature and description brought against it, for, or on account of any injuries or damages received or sustained by any party of parties by, or from any of the acts of the contractor, his/her servants, or agents.

10. NJ BUSINESS CERTIFICATE

*NJ Business Registration Compliance Pertaining to Purchase Orders for Goods and Services*

The successful vendor shall provide a copy of their New Jersey Business Registration Certificate. N.J.S.A. 52:32-44 imposes the following requirements on contractors and all subcontractors that knowingly provide goods or perform services for a contractor fulfilling this contract; 1) the contractor shall provide written notice to its subcontractors to submit proof of business registration to the contractor; 2) prior to receipt of final payment from a contracting agency, a contractor must submit to the contracting agency an accurate list of all subcontractors or attest that none was used; 3) during the term of this contract, the contractor and its affiliates shall collect and remit, and shall notify all subcontractors and their affiliates that they must collect and remit to the Director, New Jersey Division of Taxation, the use tax due pursuant to the Sales and Use Tax Act, (N.J.S.A. 54:32b-1 et seq.) on all sales of tangible personal property delivered into this State. A contractor, subcontractor or supplier who fails to provide proof of business registration or provides false business registration information shall be liable to a penalty of \$25 for each day of violation, not to exceed \$50,000 for each business registration not properly provided or maintained under a contract with a contracting agency. Information on the law and its requirements is available by calling (609) 292-9292.

11. GROUND LADDER TESTING SPECIFICATIONS

Annual ground ladder testing shall meet or exceed, and be inspected and service tested in accordance with the current and any future standards of NFPA 1932, as set forth in the section entitled "Use, Maintenance and Service Testing of In Service Fire Department Ground Ladders" and any additional tests approved by the ground ladder manufacturer.

1. All ladders are to be tested to NFPA 1932 standards and manufacturers requirements. This includes: visual inspection, horizontal bending test, roof hook test, hardware test, and hardness test.
2. Contractor shall unpack and repack ladders from appropriate apparatus.
3. Contractor shall clearly tag "out of service" with the date and description of the defect on ladders that are required to be removed from service.
4. Contractor shall submit an individual ladder testing report.
5. Contractor shall provide an annual computerized report encompassing all results.

HOPEWELL TOWNSHIP FIRE DISTRICT NO. 1

BOARD OF FIRE COMMISSIONERS

MERCER COUNTY, NEW JERSEY

6. Contractor shall be qualified to repair ladders; e.g. rung replacement, ladder halyard, heat sensing labels, etc.
7. Contractor shall provide all equipment required to perform CPS's ground ladder test.
8. CPS members shall provide a suitable location for performance of the service test.
9. Contractor shall clean off excess dirt and oils and wax each extension ladder section, as needed.
10. The service test to be conducted at an agreed-upon date, but in no case later than February 28, 2014.
11. Approximate estimate of ground ladders to be tested:

Hopewell Township Fire District No. 1:	162 feet (10 ladders)
Pennington Borough Fire District No. 1:	243 feet (15 ladders)
Hopewell Borough Fire District No. 1:	257 feet (14 ladders)
Total:	662 feet (39 ladders)

12. AERIAL DEVICE PERFORMANCE TESTING

Annual aerial testing shall meet or exceed, and be inspected and service tested in accordance with the current and any future standards of NFPA 1911 entitled, "Standard for the Inspection, Maintenance, Testing, and Retirement of In-Service Automotive Fire Apparatus"

1. Aerial apparatus shall be tested to NFPA 1911 standards and manufacturers requirements. This includes, but is not limited to: Visual inspection, drift test, load test, aerial twist, water system test, operational inspection, non-destructive inspection, hydraulic oil analysis, and conclusion.
2. Contractor must meet the requirements of International Standards Organization (ISO) 17020 general criteria for the operation of various types of bodies performing inspections.
3. Technicians involved in the Non Destructive Testing process must meet the requirements of the American Society for Nondestructive Testing (ASNT) CP-189 Standard for Qualification and Certification of Nondestructive Testing Personnel.
4. Contractor shall provide an annual computerized report encompassing all results.
5. CPS members shall provide a suitable location for performance of the service test.

HOPEWELL TOWNSHIP FIRE DISTRICT NO. 1  
BOARD OF FIRE COMMISSIONERS  
MERCER COUNTY, NEW JERSEY

6. The service test to be conducted at an agreed-upon date, but in no case later than February 28, 2014.

7. Approximate estimate of aerial devices to be tested:

Hopewell Township Fire District No. 1:	1 TeleSquirt
Pennington Borough Fire District No. 1:	1 Ladder Tower
Hopewell Borough Fire District No. 1:	1 Quint
Total:	3 Aerial Devices

HOPEWELL TOWNSHIP FIRE DISTRICT NO. 1  
BOARD OF FIRE COMMISSIONERS  
MERCER COUNTY, NEW JERSEY

**ANNUAL LADDER TESTING  
QUOTE SUBMITTAL SHEET**

Estimate  
162 feet

**ANNUAL GROUND LADDER TESTING**  
(according to NFPA 1932 standards  
and test documentation), per  
specifications

UNIT PRICE X QTY = EXTENDED PRICE

**PRICE IN NUMBERS**

\$ \_\_\_\_\_ PER FOOT X 162 feet =

\$ \_\_\_\_\_

**PRICE IN WORDS**

\_\_\_\_\_ CENTS PER FOOT X ONE HUNDRED SIXTY TWO FEET=  
\_\_\_\_\_ DOLLARS

**AERIAL DEVICE TESTING**  
(according to NFPA 1911 standards  
and test documentation), per  
specifications

**PRICE IN NUMBERS**

\$ \_\_\_\_\_ PER UNIT X 1 UNIT= \$ \_\_\_\_\_

**PRICE IN WORDS**

\_\_\_\_\_ PER APPARATUS X ONE UNIT= \_\_\_\_\_ DOLLARS

Quantity is estimate only. Hopewell Township Fire District reserves the right to increase or decrease the quantity as demands dictate. Prices will remain valid for one year from contract award date.

State the number of calendar days to complete testing after receipt of order: \_\_\_\_\_

Will you extend pricing to the members of the Hopewell Valley Fire District's Cooperative Pricing System? Circle one: **YES** **NO**

HOPEWELL TOWNSHIP FIRE DISTRICT NO. 1  
BOARD OF FIRE COMMISSIONERS  
MERCER COUNTY, NEW JERSEY

**ANNUAL LADDER TESTING  
QUOTE SUBMITTAL SHEET  
(CONTINUED)**

By virtue of quote submission stated within, contractor agrees to provide the services herein quoted upon to the local government contracting units without substitution or deviation from specifications, size, features, quality, price, or availability as herein set forth. It is understood that orders will be placed directly by the contracting units, subject to the overall terms of the contract to be awarded by Hopewell Township Fire District No. 1.

---

(Company Name)

(Address)

---

(Signature of Authorized Representative)

(Date)

---

(Typed Name of Authorized Representative)

(Phone Number)

---

(Title)

(Email Address)